Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("20060050173").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/26 15:18
L3	1	("5319577").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/26 15:18
L4	17	("4739241"   "4998284"   "5027115"   "5146340").PN. OR ("5319577").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/26 15:20
L5	34	ajioka-yoshiaki.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:21
L6	1225	((396/12) or (396/419) or (396/427) or (396/428)).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/26 15:21
L7	939	(348/373).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/26 15:21
L8	2037	6 or 7	US-PGPUB; USPAT	OR	ON	2007/09/26 15:21
L9	24636805	@ad<="20030716"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:21
L10	1339	8 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:22
L11	676	10 and rotation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:22

	T			1	1	
L12	26	11 and rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:23
L13	74	11 and rail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:23
L14	17	11 and (guide adj rail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:23
L15	1415	rotor with sphere	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:23
L16	346	indication adj bar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24
L17	177060	slider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24
L18	5464903	t	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24

	T			<b>Y</b>		
L19	2630852	shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24
L20	1998325	bearings	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24
L21	138888	guide adj rail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24
L22	1	15 and 16 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:24
L23	1	15 and 16 and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:25
L24	1	15 and 16 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:25
L25	11273	21 with shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:25

				<del></del>		<del></del>
L26	407	25 and rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:25
L27	4	26 and (indication adj bar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:26
L28	14049	rotor with bar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:26
L29	155	28 and (guide adj rail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:26
L30	12	29 and slider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:27
L31	56	(rotor with indication with bar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:27
L32	8	31 and (guide adj rail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:27